


# Introduction to Complex Numbers

YouTube Workbook

Christopher C. Tisdell



Download free books at

Christopher C. Tisdell

# **Introduction to Complex Numbers:** *YouTube Workbook*



Introduction to Complex Numbers: *YouTube* Workbook

1<sup>st</sup> edition

© 2015 Christopher C. Tisdell & [bookboon.com](http://bookboon.com)

ISBN 978-87-403-1110-5

# Contents

	<b>How to use this workbook</b>	<b>8</b>
	<b>About the author</b>	<b>9</b>
	<b>Acknowledgments</b>	<b>10</b>
<b>1</b>	<b>What is a complex number?</b>	<b>11</b>
1.1	Video 1: Complex numbers are AWESOME	11
<b>2</b>	<b>Basic operations involving complex numbers</b>	<b>15</b>
2.1	Video 2: How to add/subtract two complex numbers	15
2.2	Video 3: How to multiply a real number with a complex number	16
2.3	Video 4: How to multiply complex numbers together	17
2.4	Video 5: How to divide complex numbers	19
2.5	Video 6: Complex numbers: Quadratic formula	21



In the past four years we have drilled

# 81,000 km

That's more than **twice** around the world.

**Who are we?**  
We are the world's leading oilfield services company. Working globally—often in remote and challenging locations—we invent, design, engineer, manufacture, apply, and maintain technology to help customers find and produce oil and gas safely.

**Who are we looking for?**  
We offer countless opportunities in the following domains:

- Engineering, Research, and Operations
- Geoscience and Petrotechnical
- Commercial and Business

If you are a self-motivated graduate looking for a dynamic career, apply to join our team.

**What will you be?**

**Schlumberger**

careers.slb.com

<b>3</b>	<b>What is the complex conjugate?</b>	<b>22</b>
3.1	Video 7: What is the complex conjugate?	22
3.2	Video 8: Calculations with the complex conjugate	25
3.3	Video 9: How to show a number is purely imaginary	27
3.4	Video 10: How to prove the real part of a complex number is zero	28
3.5	Video 11: Complex conjugate and linear systems	29
3.6	Video 12: When are the squares of $z$ and its conjugate equal?	30
3.7	Video 13: Conjugate of products is product of conjugates	31
3.8	Video 14: Why complex solutions appear in conjugate pairs	32
<b>4</b>	<b>How big are complex numbers?</b>	<b>33</b>
4.1	Video 15: How big are complex numbers?	33
4.2	Video 16: Modulus of a product is the product of moduli	35
4.3	Video 17: Square roots of complex numbers	36
4.4	Video 18: Quadratic equations with complex coefficients	37
4.5	Video 19: Show real part of complex number is zero	38
<b>5</b>	<b>Polar trig form</b>	<b>39</b>
5.1	Video 20: Polar trig form of complex number	39



**YOUR CAREER.  
YOUR ADVENTURE.**

Copyright © 2015 Accenture. All rights reserved.

## Ready for an adventure?

We're looking for future leaders.  
Idea generators. And strategic thinkers.

We're looking for future leaders. Idea generators. And strategic thinkers. Put your degree and skills to work. We'll help you build the roadmap that's right for your career – including a few twists and turns to keep things interesting. If you have passion, a brilliant mind and an appetite to grow every day, this is the place for you.

Begin your journey: [accenture.com/bookboon](http://accenture.com/bookboon)

Strategy | Consulting | Digital | Technology | Operations



<b>6</b>	<b>Polar exponential form</b>	<b>41</b>
6.1	Video 21: Polar exponential form of a complex number	41
6.2	Revision Video 22: Intro to complex numbers + basic operations	43
6.3	Revision Video 23: Complex numbers and calculations	44
6.4	Video 24: Powers of complex numbers via polar forms	45
<b>7</b>	<b>Powers of complex numbers</b>	<b>46</b>
7.1	Video 25: Powers of complex numbers	46
7.2	Video 26: What is the power of a complex number?	47
7.3	Video 27: Roots of complex numbers	48
7.4	Video 28: Complex numbers solutions to polynomial equations	49
7.5	Video 29: Complex numbers and $\tan(\pi/12)$	50
7.6	Video 30: Euler's formula: A cool proof	51
<b>8</b>	<b>De Moivre's formula</b>	<b>52</b>
8.1	Video 31: De Moivre's formula: A cool proof	52
8.2	Video 32: Trig identities from De Moivre's theorem	53
8.3	Video 33: Trig identities: De Moivre's formula	54



Find and follow us: <http://twitter.com/bioradlscareers>  
[www.linkedin.com/groupsDirectory](http://www.linkedin.com/groupsDirectory), search for Bio-Rad Life Sciences Careers  
<http://bio-radlifesciencescareersblog.blogspot.com>



**Your Profession is Your Passion. Pass it On.**

John Randall, PhD  
Senior Marketing Manager, Bio-Plex Business Unit

Bio-Rad is a longtime leader in the life science research industry and has been voted one of the Best Places to Work by our employees in the San Francisco Bay Area. Bring out your best in one of our many positions in research and development, sales, marketing, operations, and software development. Opportunities await — share your passion at Bio-Rad!

[www.bio-rad.com/careers](http://www.bio-rad.com/careers)



Click on the ad to read more



<b>9</b>	<b>Connecting sin, cos with <math>e</math></b>	<b>55</b>
9.1	Video 34: Trig identities and Euler's formula	55
9.2	Video 35: Trig identities from Euler's formula	57
9.3	Video 36: How to prove trig identities WITHOUT trig!	58
9.4	Revision Video 37: Complex numbers + trig identities	59
<b>10</b>	<b>Regions in the complex plane</b>	<b>60</b>
10.1	Video 38: How to determine regions in the complex plane	60
10.2	Video 39: Circular sector in the complex plane	63
10.3	Video 40: Circle in the complex plane	64
10.4	Video 41: How to sketch regions in the complex plane	65
<b>11</b>	<b>Complex polynomials</b>	<b>66</b>
11.1	Video 42: How to factor complex polynomials	66
11.2	Video 43: Factorizing complex polynomials	68
11.3	Video 44: Factor polynomials into linear parts	69
11.4	Video 45: Complex linear factors	70
	<b>Bibliography</b>	<b>71</b>

**QUALIFY  
FOR A GLOBAL  
CAREER  
IN ENGINEERING, ARCHITECTURE  
OR TECHNOLOGY MANAGEMENT**

[www.chalmers.se/masters](http://www.chalmers.se/masters)>>

**CHALMERS**  
UNIVERSITY OF TECHNOLOGY

# How to use this workbook

This workbook is designed to be used in conjunction with the author's free online video tutorials. Inside this workbook each chapter is divided into learning modules (subsections), each having its own dedicated video tutorial.

View the online video via the hyperlink located at the top of the page of each learning module, with workbook and paper or tablet at the ready. Or click on the *Introduction to Complex Numbers* playlist where all the videos for the workbook are located in chronological order:

*Introduction to Complex Numbers*

[www.youtube.com/playlist?list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP](http://www.youtube.com/playlist?list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP)

[www.tinyurl.com/ComplexNumbersYT](http://www.tinyurl.com/ComplexNumbersYT).

While watching each video, fill in the spaces provided after each example in the workbook and annotate to the associated text.

You can also access the above via the author's YouTube channel

[Dr Chris Tisdell's YouTube Channel](#)

<http://www.youtube.com/DrChrisTisdell>

There has been an explosion in books that blend text with video since the author's pioneering work *Engineering Mathematics: YouTube Workbook* [46]. The current text takes innovation in learning to a new level, with:

- the video presentations herein streamed live online, giving the classes a live, dynamic and fun feeling;
- each video featuring closed captions, providing each learner with the ability to watch, read or listen to each video presentation.



# About the author

Dr Chris Tisdell is Associate Dean (Education), Faculty of Science at UNSW Australia who has inspired millions of learners through his passion for mathematics and his innovative online approach to maths education. He is best-known for creating YouTube university-level maths videos, which have attracted millions of downloads. This has made his virtual classroom the top-ranked learning and teaching website across Australian universities on the education hub YouTube EDU.

His free online e textbook, *Engineering Mathematics: YouTube Workbook*, is one of the most popular mathematical books of its kind, with more than 1 million downloads in over 200 countries. A champion of free and flexible education, he is driven by a desire to ensure that anyone, anywhere at any time, has equal access to the mathematical skills that are critical for careers in science, engineering and technology.

Vision, leadership and management skills underpins his experience in educational change. In 2008 he dared to dream of educational experiences that featured personalized and scalable learning. His early leadership on enabling technologies such as: lecture capture; open educational resources; MOOCs; learning analytics; and gamification, has significantly influenced and positively changed L&T strategies at the institutional level.

He is a recognized leader in the online learning space at national and institutional levels, winning education awards and positively transforming learning and teaching.

As an Associate Dean (Education) at UNSW Australia he has been responsible for leading, managing and operationalising educational change at-scale, including inspiring positive transformation within 7,000 7,000 science students, 400 academic staff, 300+ courses and scores of programs within UNSW Science.

Chris has collaborated with industry and policy-makers, championed educational thought-leadership in the media and constantly draws on the feedback of key stakeholders worldwide to advance learning and teaching.

# Acknowledgments

I'm grateful to the following, who admirably transcribed audio to text for each video to create closed captions and helped me proofread drafts of the manuscript. **Thank you:**

Anubhav Ashish; Johann Blanco; Sean Cossins; Jonathan Kim Sing; Madeleine Kyng; Jeffrey Lay; Harris Phan; Anthony Tran; Koha Tran; Ines Vallely; Velushomaz; Wilson Yuan.

I would also like to express my thanks to the Bookboon team for their support.

# 1 What is a complex number?

## 1.1 Video 1: Complex numbers are AWESOME

### 1.1.1 Where are we going?

[View this lesson on YouTube](#) [1]

- We will learn about a new kind of number known as a “complex number”.
- We will discover the basic properties of complex numbers and investigate some of their mathematical applications.

Complex numbers rest on the idea of the “imaginary unit”  $i$ , which is dened via

$$i = \sqrt{-1}$$

with  $i$  satisfying the equation

$$i^2 = -1.$$

Even though the thought of  $i$  may seem crazy, we will see that is a really useful idea.

### 1.1.2 Why are complex numbers AWESOME?

There are at least two reasons why complex numbers are AWESOME:-

1. their real-world applications;
2. their ability to SIMPLIFY mathematics.

For example,  $i$  arises in the solutions

$$x(t) = e^{i\sqrt{k/m} t} \text{ and } x(t) = e^{-i\sqrt{k/m} t}.$$

to a basic spring-mass differential equation

$$m \frac{d^2 x}{dt^2} + kx = 0$$

where:  $x = x(t)$  is the position of the mass at time  $t$ ;  $m > 0$  is the mass; and  $k > 0$  is the stiffness of the spring.

Also,  $i$  appears in Fourier transform techniques, which are important for solving partial differential equations from science and engineering.

Complex numbers are AWESOME because they provide a SIMPLER framework from which we can view and do mathematics.

As a result, applying methods involving complex numbers can simplify calculations, removing a lot of the boring and tedious parts of mathematical work.

For example, complex numbers provides a quick alternative to integration by parts for something like

$$\int e^{-t} \cos t dt$$

and gives easy ways of constructing trig formulae, for example

$$\begin{aligned} \sin(x + y) &= \sin x \cos y + \cos x \sin y \\ \cos 2\theta &= \cos^2 \theta - \sin^2 \theta \end{aligned}$$

so you might never have to remember another trig formula ever again!

### 1.1.3 What is a complex number?

Here are some examples of complex numbers:


$$\begin{array}{ll} 3 + 2i, & -7 + 3i, \\ 6 - i, & 2i, \\ -1 - 4i, & -2 - 2i. \end{array}$$


**Important idea** (What is a complex number? (Cartesian form)).

The Cartesian form of a complex number  $z$  is

$$x + yi \quad \text{or} \quad x + iy$$

where  $x$  and  $y$  are both real numbers and  $i$  is known as the imaginary unit  $i = \sqrt{-1}$  and satisfies  $i^2 = -1$ . The number  $x$  is called the “real part of  $z$ ”; while  $y$  is called the “imaginary part of  $z$ ”.



 Sweden  
Sverige

Linköping University –  
innovative, highly ranked,  
European

Interested in Engineering and its various branches? Kick-start your career with an English-taught master's degree.

→ Click here!

**li.u** LINKÖPING  
UNIVERSITY



#### 1.1.4 How to graphically represent complex numbers?

Complex numbers can be represented in the "complex plane" via what is known as an Argand diagram, which features:

- a "real" (horizontal) axis;
- an "imaginary" (vertical) axis.

## 2 Basic operations involving complex numbers

### 2.1 Video 2: How to add/subtract two complex numbers

[View this lesson on YouTube](#) [3]

To add/subtract two complex numbers just add/subtract their corresponding components.

**Example.**

If  $z = 1 + 3i$  and  $w = 2 + i$  then

$$\begin{aligned}z + w &= (1 + 3i) + (2 + i) \\ &= (1 + 2) + (3i + i) \\ &= 3 + 4i\end{aligned}$$

and

$$\begin{aligned}z - w &= (1 + 3i) - (2 + i) \\ &= (1 - 2) + (3i - i) \\ &= -1 + 2i.\end{aligned}$$

A geometric interpretation of addition is seen through a simple parallelogram or triangle law.

**FACTCARDS**

Are you working in academia, research or science? And have you ever thought about working and moving to the Netherlands?

**Arriving** 33

**Living** 50

**Studying** 51

**Working** 101

**Research** 50

Factcards.nl offers all the **information** that you need if you wish to proceed your **career** in the **Netherlands**.

The information is ordered in the categories arriving, living, studying, working and research in the Netherlands and it is freely and easily accessible from your smartphone or desktop.

**VISIT FACTCARDS.NL**





## 2.2 Video 3: How to multiply a real number with a complex number

[View this lesson on YouTube](#) [3]

Multiplication of a real number with a complex number involves multiplying each component in a natural distributive fashion.

**Example.**

If  $z = 2 + 3i$  then

$$\begin{aligned}2z &= 2(2 + 3i) \\ &= (2 * 2) + (2 * 3i) \\ &= 4 + 6i\end{aligned}$$

and

$$\begin{aligned}-4z &= -4(2 + 3i) \\ &= (-4 * 2) + (-4 * 3i) \\ &= -8 - 12i.\end{aligned}$$

A geometric interpretation of (scalar) multiplication is seen through a stretching principle.

## 2.3 Video 4: How to multiply complex numbers together

[View this lesson on YouTube](#) [4]


Multiplication of two complex numbers involves natural distribution (and remembering  $i^2 = -1$ ).

**Example.**

If  $z = 2 + i$  and  $w = 1 + i$  then

$$\begin{aligned}zw &= (2 + i)(1 + i) \\ &= (2 * 1 + i * i) + (2 * i + i * 1) \\ &= (2 - 1) + 3i \\ &= 1 + 3i.\end{aligned}$$

The geometric interpretation of multiplication is seen through rotation and stretching/compression.



2.3.1 What is the geometric explanation of multiplication?

**Example.**

Let us consider  $z = 2i$  and  $w = 1 + i$  in the complex plane.

If we compute the distances from  $z$  and  $w$  to the origin (using Pythagoras) then we see that

$$|z| = 2, \quad |w| = \sqrt{2}.$$

Now consider the line segments joining  $z$  and  $w$  to the origin. If we compute the angles  $\theta_1, \theta_2$  to the positive real axis (using trig) with  $-\pi < \theta_k \leq \pi$  then we see

$$\theta_1 = \pi/2, \quad \theta_2 = \pi/4.$$

Now consider  $zw = -2 + 2i$ . We have

$$|zw| = 2\sqrt{2}, \quad \theta_3 = 3\pi/4.$$

We thus see that  $|zw| = |z| |w|$  and  $\theta_3 = \theta_1 + \theta_2$ .

## 2.4 Video 5: How to divide complex numbers

[View this lesson on YouTube](#) [5]

### 2.4.1 How to divide by a complex number

Division of two complex numbers involves multiplying through by a “factor of one” that turns the denominator into a real number. To do this, we use the “conjugate” of the denominator.

**Example.**

If  $z = 2 + i$  and  $w = 3 + 2i$  then

$$\begin{aligned}\frac{z}{w} &= \frac{2 + i}{3 + 2i} \\ &= \frac{2 + i}{3 + 2i} * \frac{3 - 2i}{3 - 2i} \\ &= \frac{(6 - 2i^2) + (3i - 4i)}{(9 - 4i^2) + (6i - 6i)} \\ &= \frac{8 - i}{13} = \frac{8}{13} - i\frac{1}{13}.\end{aligned}$$

Observe that the denominator is now real and we can (say) easily plot the complex number  $z/w$ .

If we interpret division as a kind of multiplication, then the geometric interpretation of division can also be seen through rotation/stretching.

2.4.2 Basic operations with complex numbers

**Example.**

If  $z = -2 + 3i$  then calculate  $z^2$ .

Consider

$$\begin{aligned}z^2 &= (-2 + 3i) * (-2 + 3i) \\ &= (4 + 9i^2) - 6i - 6i \\ &= -5 - 12i.\end{aligned}$$

Independent learning exercise: plot  $z$  and  $z^2$ . Can you see a relationship between their lengths to the origin?

.....Alcatel-Lucent 

[www.alcatel-lucent.com/careers](http://www.alcatel-lucent.com/careers)

What if you could build your future and create the future?

One generation's transformation is the next's status quo. In the near future, people may soon think it's strange that devices ever had to be "plugged in." To obtain that status, there needs to be "The Shift".

 [Click on the ad to read more](#)

## 2.5 Video 6: Complex numbers: Quadratic formula

### Applying the quadratic formula for complex solutions

[View this lesson on YouTube](#) [6]

**Example.**

Solve the quadratic equation

$$13z^2 - 6z + 1 = 0,$$

writing the solutions in the Cartesian form  $x + yi$ .

# 3 What is the complex conjugate?

## 3.1 Video 7: What is the complex conjugate?

[View this lesson on YouTube](#) [7]

As we saw when performing division of complex numbers, an idea called the conjugate was applied to simplify the denominator. Let us look at this idea a bit further.

**Important idea** (Complex conjugate).

For a complex number  $z = x + yi$  we define and denote the “complex conjugate of  $z$ ” by

$$\bar{z} = x - yi.$$

If  $z = 3 + i$  then  $\bar{z} = 3 - i$ . If  $w = 1 - 2i$  then  $\bar{w} = 1 + 2i$ . If  $u = -1 - i$  then  $\bar{u} = -1 + i$ .

For any point  $z$  in the complex plane, we can geometrically determine  $\bar{z}$  by reflecting the position of  $z$  through the real axis.



3.1.1 What are the properties of the conjugate?

**Important idea** (Conjugate properties).

Let  $z = a + bi$  and  $w = c + di$ . Some basic properties of the conjugate are:-

$$z\bar{z} = (a + bi)(a - bi) = a^2 + b^2, \text{ real and non\{neg number;}$$

$$\overline{\bar{z}} = z;$$

$$\overline{z + w} = \bar{z} + \bar{w} = (a + c) - (b + d)i;$$

$$\overline{z - w} = \bar{z} - \bar{w} = (a - c) + (d - b)i;$$

$$\overline{z\bar{w}} = \bar{z}w;$$

$$\overline{z/w} = \bar{z}/\bar{w};$$

$$\overline{z^n} = \bar{z}^n;$$

$$\frac{z + \bar{z}}{2} = a = \Re(z);$$


$$\frac{z - \bar{z}}{2} = b = \Im(z).$$

**Think Umeå. Get a Master's degree!**

- modern campus • world class research • 31 000 students
- top class teachers • ranked nr 1 by international students

**Master's programmes:**

- Architecture • Industrial Design • Science • Engineering



**Umeå University**  
Sweden  
[www.teknat.umu.se/english](http://www.teknat.umu.se/english)



Click on the ad to read more

### 3.1.2 Basic operations with the conjugate

**Example.**

If  $z = -2 + 3i$  then calculate the following: a)  $\bar{z}$ ;      b)  $z + \bar{z}$ .

By definition,

$$\bar{z} = -2 - 3i.$$

Also,

$$\begin{aligned} z + \bar{z} &= (-2 + 3i) + (-2 - 3i) \\ &= -4 + 0i \\ &= 4. \end{aligned}$$

### 3.2 Video 8: Calculations with the complex conjugate

[View this lesson on YouTube](#) [8]

**Example.**

If  $z = 4 - 3i$  and  $w = 1 + 4i$  then calculate the following in Cartesian form  $x + yi$ :

- a)  $25/z$ ;      b)  $iw(\bar{z} - 4)$

### 3.2.1 Simplifying complex numbers with the conjugate

**Example.**

Simplify

$$\frac{2 - 7i}{3 - i}$$

into the Cartesian form  $x + yi$ .

We multiply by a factor of one that involves the conjugate of the denominator, namely

$$\begin{aligned}\frac{2 - 7i}{3 - i} &= \frac{2 - 7i}{3 - i} * \frac{3 + i}{3 + i} \\ &= \frac{(6 - 7i^2) + 2i - 21i}{(9 - i^2) + 3i - 3i} \\ &= 13/10 - 19i/10.\end{aligned}$$

## How could you take your studies to new heights?

- By thinking about things that nobody has ever thought about before
- By writing a dissertation about the highest building on earth
- With an internship about natural hazards at popular tourist destinations
- By discussing with doctors, engineers and seismologists
- By all of the above

From climate change to space travel – as one of the leading reinsurers, we examine risks of all kinds and insure against them. Learn with us how you can drive projects of global significance forwards. Profit from the know-how and network of our staff. Lay the foundation stone for your professional career, while still at university. Find out how you can get involved at Munich Re as a student at [munichre.com/career](https://www.munichre.com/career).



**Munich RE** 



### 3.3 Video 9: How to show a number is purely imaginary

#### 3.3.1 Using the conjugate to show a number is purely imaginary

[View this lesson on YouTube](#) [9]

**Example.**

Let

$$\Im\left(\frac{z+i}{z-i}\right) = 0$$

with  $z \neq i$ . Show  $\Re(z) = 0$ .

### 3.4 Video 10: How to prove the real part of a complex number is zero

[View this lesson on YouTube](#) [10]


**Example.**


Let  $z \in \mathbb{C}$  with  $|z| = 1$ . Show

$$\Re\left(\frac{z-1}{z+1}\right) = 0.$$

**26 destinations 4 continents**

Bartending is your ticket to the world



 **EUROPEAN  
BARTENDER SCHOOL**

[GET STARTED](#)



### 3.5 Video 11: Complex conjugate and linear systems

#### 3.5.1 Solving systems of equations with the conjugate

[View this lesson on YouTube](#) [11]

**Example.**

Solve the following system for complex numbers  $z$  and  $w$ :

$$2z + 3w = 1 + 5i,$$

$$3\bar{z} - \bar{w} = 4 + 3i.$$



### 3.6 Video 12: When are the squares of $z$ and its conjugate equal?

#### 3.6.1 Showing real or imag parts are zero via the conjugate

[View this lesson on YouTube](#) [12]

**Example.**

Prove the following: For all  $z \in \mathbb{C}$  we have

$$z^2 = \bar{z}^2$$

if and only if

$$\Re(z) = 0 \text{ or } \Im(z) = 0.$$

### 3.7 Video 13: Conjugate of products is product of conjugates

[View this lesson on YouTube](#) [13]

**Example.**

Prove, for all complex numbers  $z$  and  $w$ :

$$\overline{zw} = \bar{z} \bar{w}.$$

### 3.8 Video 14: Why complex solutions appear in conjugate pairs

[View this lesson on YouTube](#) [14]

**Example.**

Let  $z = \alpha + \beta i$  satisfy

$$ax^2 + bx + c = 0.$$

Show that  $\bar{z}$  is also a solution.

# 4 How big are complex numbers?

## 4.1 Video 15: How big are complex numbers?

[View this lesson on YouTube](#) [15]

To measure how “big” certain complex numbers are, we introduce a way of measuring their size, known as the modulus or the magnitude.

**Important idea** (Modulus/magnitude of a complex number).

For a complex number  $z = x + yi$  we define the modulus or magnitude of  $z$  by

$$|z| := \sqrt{x^2 + y^2}.$$

Geometrically,  $|z|$  represents the length  $r$  of the line segment connecting  $z$  to the origin.

**DON'T EAT YELLOW SNOW**

What will your advice be?

Some advice just states the obvious. But to give the kind of advice that's going to make a real difference to your clients you've got to listen critically, dig beneath the surface, challenge assumptions and be credible and confident enough to make suggestions right from day one. At Grant Thornton you've got to be ready to kick start a career right at the heart of business.

Sound like you? Here's our advice: visit [GrantThornton.ca/careers/students](https://www.grantthornton.ca/careers/students)

Scan here to learn more about a career with Grant Thornton.



© Grant Thornton LLP. A Canadian Member of Grant Thornton International Ltd



#### 4.1.1 Properties of the modulus/magnitude

**Important idea.**

Let  $z = a + bi$  and  $w = c + di$ . Some basic properties of the modulus are:-

$$|z| = \sqrt{a^2 + b^2} \geq 0;$$

$$|z| = 0 \text{ iff } z = 0;$$

$$|z^2| = |z|^2;$$

$$|z + w| \leq |z| + |w|;$$

$$|\alpha z| = |\alpha||z| \text{ where } \alpha \text{ is a real number};$$

$$|zw| = |z||w|;$$

$$z\bar{z} = |z|^2.$$

**Example.**

If  $z = 7 + i$  and  $w = 3 - i$  then calculate:

$$|z + iw|.$$

**Example.**

If  $w = 1 + 4i$  then calculate the following in Cartesian form  $x + yi$ :

$$|w + 2|.$$

We have

$$\begin{aligned} |w + 2| &= |3 + 4i| \\ &= \sqrt{3^2 + 4^2} \\ &= 5. \end{aligned}$$

## 4.2 Video 16: Modulus of a product is the product of moduli

[View this lesson on YouTube](#) [16]

**Example.**

Prove, for all complex numbers  $z$  and  $w$ :

$$|zw| = |z| |w|.$$

**SIEMENS**

RESPONSIBILITY  
CREATIVITY  
INQUISITIVENESS  
OPENNESS  
INNOVATION INGENUITY  
COMMITMENT  
CAREER DEVELOPMENT OPPORTUNITY  
DECISIVENESS  
GLOBAL PERSPECTIVE  
WORK-LIFE BALANCE

If it really matters, make it happen –  
with a career at Siemens.

siemens.com/careers



### 4.3 Video 17: Square roots of complex numbers

[View this lesson on YouTube](#) [17]

**Example.**

Solve

$$z^2 = (x + yi)^2 = -24 - 10i$$

for  $z \in \mathbb{C}$  by computing the real numbers  $x$  and  $y$ . Hence write down the square roots of  $-24 - 10i$ .



#### 4.4 Video 18: Quadratic equations with complex coefficients

##### 4.4.1 Square roots of complex numbers

[View this lesson on YouTube](#) [18]

**Example.**

i) Solve

$$z^2 = (x + yi)^2 = 15 + 8i$$

for  $z \in \mathbb{C}$  by computing  $x$  and  $y$  which are assumed to be integers.

Hence write down the square roots of  $15 + 8i$ .

ii) Hence solve, in  $x + yi$  form,

$$z^2 - (2 + 3i)z - 5 + i = 0.$$


#### 4.5 Video 19: Show real part of complex number is zero

[View this lesson on YouTube](#) [19]

**Example.**

Let  $z \in \mathbb{C}$  with  $z \neq i$ . If  $|z| = 1$  then show

$$\Re\left(\frac{z+i}{z-i}\right) = 0.$$



Cynthia | AXA Graduate

**AXA Global Graduate Program**

Find out more and apply

redefining / standards AXA



# 5 Polar trig form

## 5.1 Video 20: Polar trig form of complex number

[View this lesson on YouTube](#) [20]

Instead of the Cartesian  $x + yi$  form, sometimes it is convenient to express complex numbers in other equivalent forms.

Using trigonometry in the complex plane we see that we can express any (non-zero) complex number  $z$  in the form

$$z = r(\cos \theta + i \sin \theta)$$

where  $r$  is the distance to the origin and  $\theta$  is the angle to the pos. real axis.

**Important idea** (Formulae for polar trig form).

For  $z = x + yi$  a polar trig form is  $z = r(\cos \theta + i \sin \theta)$  where:

$$r = \sqrt{x^2 + y^2} = |z|;$$

$$x = r \cos \theta, \quad y = r \sin \theta, \quad \tan \theta = y/x.$$

We denote the angle  $\theta$  by  $\arg(z)$  and call  $\arg(z)$  “an argument of  $z$ ”.

Because  $\cos \theta = \cos(\theta + 2k\pi)$  and  $\sin \theta = \sin(\theta + 2k\pi)$  for all integers  $k$ , the angle  $\theta$  associated with a complex number is not unique.

For example, if  $z = 1 + i$  then we may represent  $z$  in polar trig form via

$$z = \sqrt{2}(\cos(\pi/4) + i \sin(\pi/4))$$

and

$$z = \sqrt{2}(\cos(9\pi/4) + i \sin(9\pi/4)).$$

Thus,  $\theta = \arg(z)$  is not uniquely determined by  $z$ .

To provide some definiteness, we define what is known as the principal argument of  $z$ .

**Important idea** ( $\arg(z)$  versus  $\text{Arg}(z)$ ).

For any complex number  $z = x + yi$  with  $\theta = \arg(z)$  we can always choose an integer  $k$  such that  $-\pi < \arg(z) - 2k\pi \leq \pi$ . We denote this special angle by  $\text{Arg}(z)$  and call  $\text{Arg}(z)$  “the principal argument of  $z$ ”.



 **Scholarships**

**Open your mind to new opportunities**

With 31,000 students, Linnaeus University is one of the larger universities in Sweden. We are a modern university, known for our strong international profile. Every year more than 1,600 international students from all over the world choose to enjoy the friendly atmosphere and active student life at Linnaeus University. Welcome to join us!

**Linnaeus University**  
Sweden

**Ln.u.se**

**Bachelor programmes in**  
*Business & Economics | Computer Science/IT | Design | Mathematics*

**Master programmes in**  
*Business & Economics | Behavioural Sciences | Computer Science/IT | Cultural Studies & Social Sciences | Design | Mathematics | Natural Sciences | Technology & Engineering*

**Summer Academy courses**



# 6 Polar exponential form

## 6.1 Video 21: Polar exponential form of a complex number

[View this lesson on YouTube](#) [21]

Instead of the Cartesian form  $z = x + yi$  or the polar trig form  $z = r(\cos \theta + i \sin \theta)$  sometimes it is convenient for multiplication and solving polynomials to express complex numbers in yet another equivalent form

$$z = re^{i\theta}.$$

**Important idea** (Formula for polar exponential form  $z = re^{i\theta}$ ).

For  $z = x + yi$  a polar exponential form is  $z = re^{i\theta}$  where:

$$r = \sqrt{x^2 + y^2} \text{ and } \tan \theta = y/x.$$

If we combine the polar exponential form with the polar trig form then we obtain a special identity called “Euler’s formula”

$$e^{i\theta} = \cos \theta + i \sin \theta$$

and if  $\theta = \pi$  then we obtain the famous formula

$$e^{\pi i} = -1.$$

Because  $\cos \theta = \cos(\theta + 2k\pi)$  and  $\sin \theta = \sin(\theta + 2k\pi)$  for all integers  $k$ , the angle  $\theta$  associated with a complex number is not unique.

For example, if  $z = 1 + i$  then we may represent  $z$  in polar trig and polar exp. form via

$$z = \sqrt{2}(\cos(\pi/4) + i \sin(\pi/4)) = \sqrt{2}e^{i\pi/4}$$

and

$$z = \sqrt{2}(\cos(9\pi/4) + i \sin(9\pi/4)) = \sqrt{2}e^{i9\pi/4}.$$

Thus,  $\theta = \arg(z)$  is not uniquely determined by  $z$ .

To provide some definiteness, we define what is known as the principal argument of  $z$ .

**Important idea** ( $\arg(z)$  versus  $\text{Arg}(z)$ ).

For any complex number  $z = x + yi$  with  $\theta = \arg(z)$  we can always choose an integer  $k$  such that  $-\pi < \arg(z) - 2k\pi \leq \pi$ . We denote this special angle by  $\text{Arg}(z)$  and call it “the principal argument of  $z$ ”.

## 6.2 Revision Video 22: Intro to complex numbers + basic operations


[View this lesson on YouTube](#) [22]

**Example.**

Let  $z := 2e^{i\pi/6}$ . Calculate:  $z^3$ ;  $z^{-1}$ ; and  $-3z$ . In addition, plot your calculated complex numbers on the same Argand diagram.


I'M WITH ZF.  
ENGINEER AND EASY RIDER.

[www.im-with-zf.com](http://www.im-with-zf.com)


 MOTION AND MOBILITY

**100 YEARS** MOTION AND MOBILITY

Scan the code and find out more about me and what I do at ZF:



**CHARLES JENKINS**  
Quality Engineer  
ZF Friedrichshafen AG



### 6.3 Revision Video 23: Complex numbers and calculations

[View this lesson on YouTube](#) [23]

**Example.**

Define the complex numbers  $z$  and  $w$  by  $z := 2 - 5i$  and  $w = 1 + 2i$ . Calculate:

$$\frac{1 + 7i}{w}; \quad 4\bar{z}w; \quad \text{Arg}(w - 3i).$$



## 6.4 Video 24: Powers of complex numbers via polar forms

### 6.4.1 Calculations with the polar exponential form

[View this lesson on YouTube](#) [24]

**Example.**

If  $z = 2e^{5\pi i/6}$  then compute  $z^2$ ,  $1/z$  and  $\Im(z)$ . Plot  $z$ ,  $z^2$  and  $1/z$  in the same complex plane.

# 7 Powers of complex numbers

## 7.1 Video 25: Powers of complex numbers

[View this lesson on YouTube](#) [25]

**Example.**

Powers of complex numbers If  $z = -1 + i\sqrt{3}$  then:

- Calculate a polar exponential form of  $z$ ;
- Hence determine  $\text{Arg}(z^{23})$  and write  $z^{23}$  in Cartesian form.

Are you ready to do what matters when it comes to Technology?

**Deloitte.**

The advertisement features a word cloud on a black background. The most prominent word is 'Technology' in a large, light grey font with a green dot for the letter 'o'. Other words in various sizes and orientations include: CRM, Enterprise Content Management, SQL, End-to-End Solution, Cyber Crime Innovation, Technology Advisory, Information Management, Java, Cloud Computing, SAP, Enterprise Application, Social Business, IT Consultancy, Big Data, Implementation, Web-enabled Applications, Data Analytics, Enterprise Application, Social Business, IT Consultancy, and .NET Implementation.



## 7.2 Video 26: What is the power of a complex number?

[View this lesson on YouTube](#) [26]

**Example.**

Suppose  $z = 1 + i$ ,  $w = 1 - i\sqrt{3}$ . If

$$q := z^6/w^5$$

then:

- a) Calculate  $|q|$ ;
- b) Determine  $\text{Arg}(q)$ .

### 7.3 Video 27: Roots of complex numbers

[View this lesson on YouTube](#) [27]

**Example.**

Solve

$$z^5 = 16(1 - i\sqrt{3})$$

leaving your answers in simplified polar exponential form.

## 7.4 Video 28: Complex numbers solutions to polynomial equations

[View this lesson on YouTube](#) [28]

**Example.**

Determine all of the (complex) fourth roots of  $8(-1 + \sqrt{3}i)$ . You may leave your answer in polar form.



www.sylvania.com

We do not reinvent  
the wheel we reinvent  
light.

Fascinating lighting offers an infinite spectrum of possibilities: Innovative technologies and new markets provide both opportunities and challenges. An environment in which your expertise is in high demand. Enjoy the supportive working atmosphere within our global group and benefit from international career paths. Implement sustainable ideas in close cooperation with other specialists and contribute to influencing our future. Come and join us in reinventing light every day.

Light is OSRAM

**OSRAM  
SYLVANIA** 

## 7.5 Video 29: Complex numbers and $\tan(\pi/12)$

[View this lesson on YouTube](#) [29]

**Example.**

If  $z = -2 + 2i$  and  $w = -1 - i\sqrt{3}$  then:

- a) Compute  $zw$  in Cartesian form;
- b) Rewrite  $z$  and  $w$  in polar exponential form and thus calculate  $zw$  in polar exponential form;
- c) Hence determine a precise value for  $\tan(\pi/12)$ .

## 7.6 Video 30: Euler's formula: A cool proof

[View this lesson on YouTube](#) [30]

**Important idea** (Euler's formula).

We prove

$$e^{i\theta} = \cos \theta + i \sin \theta.$$

Let  $f(\theta) := \cos \theta + i \sin \theta$ . Thus,  $f(0) = 1$ . Differentiating  $f$  we obtain

$$\begin{aligned} f'(\theta) &= -\sin \theta + i \cos \theta \\ &= i^2 \sin \theta + i \cos \theta \\ &= i(\cos \theta + i \sin \theta) \\ &= if(\theta). \end{aligned}$$

We have formed a differential equation/initial value problem. Note that  $g(\theta) := e^{i\theta}$  also satisfies the IVP. By uniqueness of solutions,  $f \equiv g$ , that is,

$$e^{i\theta} = \cos \theta + i \sin \theta.$$

This also means that the polar exponential form  $re^{i\theta}$  is an accurate representation of any complex number  $z$ .

# 8 De Moivre's formula

## 8.1 Video 31: De Moivre's formula: A cool proof

[View this lesson on YouTube](#) [31]

De Moivre's formula is useful for simplifying computations involving powers of complex numbers.

**Important idea** (De Moivre's formula).

For each integer  $n$  and all real  $\theta$  we have

$$(\cos \theta + i \sin \theta)^n = (\cos n\theta + i \sin n\theta).$$

The proof utilizes Euler's formula

$$e^{i\theta} = \cos \theta + i \sin \theta.$$

We have,

$$\begin{aligned}(\cos \theta + i \sin \theta)^n &= (e^{i\theta})^n \\ &= e^{in\theta} \\ &= (\cos n\theta + i \sin n\theta)\end{aligned}$$

and thus we have proven the result.



## 8.2 Video 32: Trig identities from De Moivre's theorem

[View this lesson on YouTube](#) [32]

**Example.**

Write  $\cos 5\theta$  in terms of  $\cos \theta$  by applying De Moivre's theorem.



At Navigant, there is no limit to the impact you can have. As you envision your future and all the wonderful rewards your exceptional talents will bring, we offer this simple guiding principle: It's not what we do. It's how we do it.

**Impact matters.**

**NAVIGANT**  
navigant.com

DISPUTES & INVESTIGATIONS • ECONOMICS • FINANCIAL ADVISORY • MANAGEMENT CONSULTING

©2013 Navigant Consulting, Inc. All rights reserved. Navigant Consulting is not a certified public accounting firm and does not provide audit, attest, or public accounting services.  
See [navigant.com/licensing](http://navigant.com/licensing) for a complete listing of private investigator licenses.



### 8.3 Video 33: Trig identities: De Moivre's formula

[View this lesson on YouTube](#) [33]

**Example.**

Write  $\sin 4\theta$  in terms of  $\cos \theta$  and  $\sin 4\theta$  by applying De Moivre's theorem. Hence, write  $\sin 4\theta \cos \theta$  as a function of  $\sin 4\theta$ .

# 9 Connecting sin, cos with e

## 9.1 Video 34: Trig identities and Euler's formula

[View this lesson on YouTube](#) [34]

### 9.1.1 More connections between $\sin \theta$ , $\cos \theta$ , $e^{i\theta}$

Euler's formula

$$e^{i\theta} = \cos \theta + i \sin \theta$$

can be manipulated to obtain the following identities

**Important idea** (Trig functions in terms of exponentials).

$$\cos \theta = \frac{e^{i\theta} + e^{-i\theta}}{2}$$
$$\sin \theta = \frac{e^{i\theta} - e^{-i\theta}}{2i}.$$

For example, consider

$$e^{-i\theta} = \cos(-\theta) + i \sin(-\theta) = \cos \theta - i \sin \theta$$

and so  $e^{i\theta} + e^{-i\theta} = 2 \cos \theta$ , which rearranges to the first identity.

9.1.2 Trig identities from Euler's formula

**Example.**

Apply the identity

$$\sin \theta = \frac{e^{i\theta} - e^{-i\theta}}{2i}$$

to express  $\sin^4 \theta$  in terms of  $\cos \theta, \cos 2\theta, \dots$ .



Do you have to be a banker to **work** in investment banking?

Deutsche Bank  
[db.com/careers](https://www.db.com/careers)

---

Agile minds **value ideas** as well as experience

---

**Global Graduate Programs**

Ours is a complex, fast-moving, global business. There's no time for traditional thinking, and no space for complacency. Instead, we believe that success comes from many perspectives — and that an inclusive workforce goes hand in hand with delivering innovative solutions for our clients. It's why we employ 135 different nationalities. It's why we've taken proactive steps to increase female representation at the highest levels. And it's just one of the reasons why you'll find the working culture here so refreshing.

Discover something different at [db.com/careers](https://www.db.com/careers)

*Passion to Perform*



## 9.2 Video 35: Trig identities from Euler's formula

[View this lesson on YouTube](#) [35]

**Example.**

Apply the identity

$$\sin \theta = \frac{e^{i\theta} - e^{-i\theta}}{2i}$$

to express  $\sin^5 \theta$  in terms of  $\sin \theta, \sin 2\theta, \dots$ .

### 9.3 Video 36: How to prove trig identities WITHOUT trig!

[View this lesson on YouTube](#) [36]

**Example.**

Prove

$$\sin(x + y) = \sin x \cos y + \cos x \sin y.$$

## 9.4 Revision Video 37: Complex numbers + trig identities

[View this lesson on YouTube](#) [37]

The problem for this video is similar to Video 35.

**Real drive.  
Unreal destination.**

As an intern, you're eager to put what you've learned to the test. At Ernst & Young, you'll have the perfect testing ground. There are plenty of real work challenges. Along with real-time feedback from mentors and leaders. You'll also get to test what you learn. Even better, you'll get experience to learn where your career may lead. Visit [ey.com/internships](http://ey.com/internships).

[See More | Opportunities](#)

© 2012 Ernst & Young LLP. All Rights Reserved.

**ERNST & YOUNG**  
Quality In Everything We Do



# 10 Regions in the complex plane

## 10.1 Video 38: How to determine regions in the complex plane

[View this lesson on YouTube](#) [38]

### 10.1.1 Regions in the complex plane

We can use equations or inequalities to represent regions within two-dimensional space.

With a bit of care, we can also represent regions in the complex plane via similar techniques.

We know that the modulus  $|z|$  of any complex number  $z$  is the length of the line segment joining  $z$  to the origin. Thus, the set

$$\{z \in \mathbb{C} : |z| < 3\}$$

is the set of all complex numbers, whose distance to the origin is less than three units. This is an open disc, centred at the origin, with radius three.

Similarly, the set

$$\{z \in \mathbb{C} : |z - (2 + i)| < 3\}$$

is the set of all complex numbers, whose distance to  $2 + i$  is less than three units. This is an open disc, centred at the  $2 + i$ , with radius three.

Similarly, the set

$$\{z \in \mathbb{C} : |z - i| = 3\}$$

is the set of all complex numbers, whose distance to  $i$  is exactly three units. This is a circle, centered at the  $i$ , with radius three.

The set

$$\{z \in \mathbb{C} : |z - 2| = |z - 4|\}$$



is the set of all complex numbers, whose distance to 2 and 4 are equal. This is a vertical line, passing through 3.

Also

$$\{z \in \mathbb{C} : 0 \leq \text{Arg}(z) \leq \pi/2\}$$

is the set of all complex numbers, whose principal argument is between zero and  $\pi/2$ . This is all those points that lie in the first quadrant, covered by a quarter-turn in the anticlockwise direction about the origin.

10.1.2 Regions in the complex plane

**Example.**

Determine and sketch the set of points satisfying

$$\{z \in \mathbb{C} : |z + 4| = 2|z - i|\}.$$



## 10.2 Video 39: Circular sector in the complex plane

### 10.2.1 Regions in the complex plane

[View this lesson on YouTube](#) [39]

**Example.**

Determine and sketch the set of points satisfying

$$|z - 1 - i| < 3, \quad 0 < \text{Arg}(z) < \pi/4.$$

### 10.3 Video 40: Circle in the complex plane

#### 10.3.1 Regions in the complex plane

[View this lesson on YouTube](#) [40]

**Example.**

Determine and sketch the set of points satisfying

$$|z + 3| = 2|z - 6i|.$$

## 10.4 Video 41: How to sketch regions in the complex plane

[View this lesson on YouTube](#) [41]

**Example.**

Sketch the region in the complex plane dened by all those complex numbers  $z$  such that

$$|z - 2i| < 1, \quad \text{and} \quad 0 < \text{Arg}(z - 2i) \leq \frac{3\pi}{4}.$$

I joined MITAS because  
I wanted **real responsibility**

The Graduate Programme  
for Engineers and Geoscientists  
[www.discovermitas.com](http://www.discovermitas.com)



**Month 16**

I was a construction  
supervisor in  
the North Sea  
advising and  
helping foremen  
solve problems

Real work  
International opportunities  
Three work placements



 **MAERSK**



Click on the ad to read more

# 11 Complex polynomials

## 11.1 Video 42: How to factor complex polynomials

[View this lesson on YouTube](#) [42]

### Important idea.

The basic theory for complex polynomials of degree  $n$

$$p(z) := a_n z^n + a_{n-1} z^{n-1} + \cdots + a_1 z + a_0$$

may be summarized as follows:-

- Every polynomial  $p(z)$  of degree  $n$  has at least one root over  $\mathbb{C}$ . That is, there is at least one  $\alpha$  such that  $p(\alpha) = 0$ .
- The roots of complex polynomials with **real** coefficients appear in conjugate pairs.
- If  $p(\alpha) = 0$  for some number  $\alpha$  then  $(z - \alpha)$  is a factor of  $p(z)$ .
- Every polynomial of degree  $n$  can be factored into  $n$  linear parts. That is

$$p(z) = a_n(z - \alpha_1)(z - \alpha_2) \cdots (z - \alpha_n)$$

where the  $\alpha_i$  are the roots of  $p(z)$ .

11.1.1 Complex polynomials with real coefficients

**Example.**

- a) Solve  $p(z) := z^6 + 64 = 0$ .
- b) Hence factorize  $p(z)$  into linear factors.

## 11.2 Video 43: Factorizing complex polynomials

### 11.2.1 Complex polynomials with real coefficients

[View this lesson on YouTube](#) [43]

**Example.**

If  $p(z) := 2z^4 - 5z^3 + 5z^2 - 20z - 12$  then:

- Show  $p(2i) = 0$ ;
- Illustrate that  $z^2 + 4$  is a factor of  $p(z)$  (without division) and also find the other quadratic factor;
- Thus, factorize  $p(z)$  into quadratic factors.

## Need help with your dissertation?

Get in-depth feedback & advice from experts in your topic area. Find out what you can do to improve the quality of your dissertation!

Get Help Now



Go to [www.helpmyassignment.co.uk](http://www.helpmyassignment.co.uk) for more info





### 11.3 Video 44: Factor polynomials into linear parts

#### 11.3.1 Complex polynomials with real coefficients

[View this lesson on YouTube](#) [44]

**Example.**

- a) Solve  $p(z) := z^7 + 3^7 = 0$ .
- b) Hence factorize  $p(z)$  into linear factors.

## 11.4 Video 45: Complex linear factors

### 11.4.1 Complex polynomials with real coefficients

[View this lesson on YouTube](#) [45]

**Example.**

If  $p(z) := z^5 + 4z^3 - 8z^2 - 32$  then:

- a) Show  $p(2i) = 0$ ;
- b) Illustrate that  $z^2 + 4$  is a factor of  $p(z)$  (without division) and also find the other quadratic factor;
- c) Thus, factorize  $p(z)$  into complex linear factors.

# Bibliography

1. Tisdell, Chris. Complex numbers are AWESOME. Streamed live on 02/04/2014 and accessed on 14/08/2014. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=YdBALaKYCO4&index=1&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
2. Tisdell, Chris. How to add and subtract complex numbers. Streamed live on 03/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=nj3qJY4QO6U&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=2>
3. Tisdell, Chris. Scalar multiply a complex number. Streamed live on 03/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=MNQPu6BQ9Ok&index=3&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
4. Tisdell, Chris. How to multiply complex numbers. Streamed live on 03/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=Kt11OMjXC6I&index=4&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
5. Tisdell, Chris. How to divide complex numbers. Streamed live on 03/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, [https://www.youtube.com/watch?v=fa7DVp\\_oNFE&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=5](https://www.youtube.com/watch?v=fa7DVp_oNFE&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=5)



"I studied English for 16 years but...  
...I finally learned to speak it in just six lessons"  
Jane, Chinese architect

ENGLISH OUT THERE

Click to hear me talking before and after my unique course download



6. Tisdell, Chris. Complex numbers: Quadratic formula. Streamed live on 19/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=iNzVgErnf5w&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=6>
7. Tisdell, Chris. What is the complex conjugate? Streamed live on 19/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=C8LzaBikty8&index=7&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
8. Tisdell, Chris. Calculations with the complex conjugate. Streamed live on 19/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=WlqTBPp7sRM&index=8&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
9. Tisdell, Chris. How to show a number is purely imaginary. Streamed live on 19/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, [https://www.youtube.com/watch?v=75D\\_\\_m6q5JM&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=9](https://www.youtube.com/watch?v=75D__m6q5JM&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=9)
10. Tisdell, Chris. Complex numbers: example of how to prove the real part of a complex number is zero. Streamed live on 25/11/2008 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=QWbLhUZ6bag&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=10>
11. Tisdell, Chris. Complex conjugates and linear systems. Streamed live on 19/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=0s8XntqBrkc&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=11>
12. Tisdell, Chris. When are the squares of  $z$  and its conjugate equal? Streamed live on 19/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=U7d0NgvctMk&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=12>
13. Tisdell, Chris. Conjugate of products is product of conjugates. Streamed live on 20/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, [https://www.youtube.com/watch?v=hKe4s\\_6B0Qs&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=13](https://www.youtube.com/watch?v=hKe4s_6B0Qs&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=13)
14. Tisdell, Chris. Why complex solutions appear in conjugate pairs. Uploaded on 16/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=XkWz76dxkkI&index=14&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
15. Tisdell, Chris. How big are complex numbers? Streamed live on 20/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=NyPGV066MCM&index=15&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>

16. Tisdell, Chris. Modulus of a product is the product of moduli. Streamed live on 20/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=siePZ8yJFJU&index=16&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
17. Tisdell, Chris. Square roots of complex numbers. Streamed live on 20/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=HQ3lqtRSo-k&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=17>
18. Tisdell, Chris. Quadratic equations with complex coecients. Streamed live on 20/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=PQi-LrSWoUM&index=18&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
19. Tisdell, Chris. Show real part of a complex number is zero. Streamed live on 21/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=i8z5fDHm0JY&index=19&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
20. Tisdell, Chris. Polar trig form of a complex number. Streamed live on 21/04/2014 and accessed on 14/08/2014. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=7jT9AHJrDo&index=20&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
21. Tisdell, Chris. Polar exponential form of a complex number. Streamed live on 21/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=2ryt4n5WDnU&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=21>
22. Tisdell, Chris. Intro to complex numbers + basic operations. Uploaded on 08/09/2010 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=QeMSqlrgQYg&index=22&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
23. Tisdell, Chris. Complex numbers and calculations. Uploaded on 06/09/2010 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=0JYIh8Goblg&index=23&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
24. Tisdell, Chris. Powers of complex numbers via polar forms. Streamed live on 22/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=FtXPMSHBKgc&index=24&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
25. Tisdell, Chris. Powers of complex numbers. Streamed live on 22/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, [https://www.youtube.com/watch?v=P\\_sFeTtnQPs&index=25&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP](https://www.youtube.com/watch?v=P_sFeTtnQPs&index=25&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP)

26. Tisdell, Chris. What is the power of a complex number? Streamed live on 22/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=nZPn74GC3KM&index=26&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
27. Tisdell, Chris. Roots of complex numbers. Streamed live on 22/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=RmUazwwRqso&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=27>
28. Tisdell, Chris. Complex number solutions to polynomial equations. Uploaded on 08/09/2010 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=Y4btmS-uHWI&index=28&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
29. Tisdell, Chris. Complex numbers and  $\tan(\pi/12)$  Streamed live on 22/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=N5gRg2whooM&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=29>
30. Tisdell, Chris. Euler's formula: a cool proof. Streamed live on 02/12/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=stOZL05Nvyk&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=30>
31. Tisdell, Chris. De Moivre's formula: a COOL proof. Streamed live on 23/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, [https://www.youtube.com/watch?v=NjYZS\\_XYIEQ&index=31&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP](https://www.youtube.com/watch?v=NjYZS_XYIEQ&index=31&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP)



**Brain power**

By 2020, wind could provide one-tenth of our planet's electricity needs. Already today, SKF's innovative know-how is crucial to running a large proportion of the world's wind turbines.

Up to 25 % of the generating costs relate to maintenance. These can be reduced dramatically thanks to our systems for on-line condition monitoring and automatic lubrication. We help make it more economical to create cleaner, cheaper energy out of thin air.

By sharing our experience, expertise, and creativity, industries can boost performance beyond expectations. Therefore we need the best employees who can meet this challenge!

The Power of Knowledge Engineering

Plug into The Power of Knowledge Engineering.  
Visit us at [www.skf.com/knowledge](http://www.skf.com/knowledge)

**SKF**



Click on the ad to read more



32. Tisdell, Chris. Application of De Moivre's theorem. Streamed live on 23/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=JjECulRsKr8&index=32&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
33. Tisdell, Chris. Trig identities: De Moivre's formula. Streamed live on 23/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=uAj1zb1p0gg&index=33&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
34. Tisdell, Chris. Trig identities and Euler's formula. Streamed live on 23/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=Bd22Y6NvKZk&index=34&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP>
35. Tisdell, Chris. Euler's formula and trig identities. Streamed live on 23/04/2015 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=NSYYWhUpeqs&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=35>
36. Tisdell, Chris. How to prove trig identities WITHOUT trig. Streamed live on 11/12/2013 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=RGnvGjFfjBs&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=36>
37. Tisdell, Chris. Complex numbers + trig identities. Uploaded on 08/09/2010 and accessed on 14/08/2014. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=CNmK48GOCuc&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=37>
38. Tisdell, Chris. How to determine regions in the complex plane. Streamed live on 26/04/2015 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, [https://www.youtube.com/watch?v=0vjsF\\_n-DBs&index=38&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP](https://www.youtube.com/watch?v=0vjsF_n-DBs&index=38&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP)
39. Tisdell, Chris. Circular sector in the complex plane. Streamed live on 26/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, [https://www.youtube.com/watch?v=\\_2Z3qbhfa8c&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=39](https://www.youtube.com/watch?v=_2Z3qbhfa8c&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=39)
40. Tisdell, Chris. Circle in the complex plane. Streamed live on 26/04/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=sLkdqTg1-1c&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=40>
41. Tisdell, Chris. How to sketch regions in the complex plane. Uploaded on 08/09/2010 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=8gtnZ5xSLuE&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=41>
42. Tisdell, Chris. How to factor complex polynomials. Streamed live on 01/05/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=UG3TtIPTVZE&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=42>

43. Tisdell, Chris. Factorizing complex polynomials. Streamed live on 01/05/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, [https://www.youtube.com/watch?v=r\\_h\\_10ovGU0&index=43&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP](https://www.youtube.com/watch?v=r_h_10ovGU0&index=43&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP)
44. Tisdell, Chris. Factor polynomials into linear parts. Streamed live on 02/05/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=ebrLfGRLfBc&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=44>
45. Tisdell, Chris. Complex linear factors of polynomials. Streamed live on 02/05/2014 and accessed on 14/08/2015. Available on Dr Chris Tisdell's YouTube channel, <https://www.youtube.com/watch?v=9r1MSXG4ENw&list=PLGCj8f6sgswm6oVMzqBbNXooFT43yqViP&index=45>
46. Tisdell, Chris. Engineering mathematics YouTube workbook playlist <http://www.youtube.com/playlist?list=PL13760D87FA88691D>, accessed on 1/11/2011 at DrChrisTisdell's YouTube Channel <http://www.youtube.com/DrChrisTisdell>.

**gaieteye**  
*Challenge the way we run*

**EXPERIENCE THE POWER OF  
FULL ENGAGEMENT...**

**RUN FASTER.  
RUN LONGER..  
RUN EASIER...**

**READ MORE & PRE-ORDER TODAY  
WWW.GAITEYE.COM**