

Name

Zeeshan Haider

ID = 13632

Program BS IT

Submit to
mem Natashe

Sem = 6th

Q No 2:1

Which tooth is most commonly involved in impaction:

Ans: Mandibular third molars.
Maxillary third molars.
Maxillary cuspids
Mandibular bicuspids
Maxillary bicuspids.
Upper central incisors
Upper lateral incisors.

Q No 2:2

Name the local anesthetic agent and vasoconstrictor used in local anesthesia.

Ans: Local anesthetic agent
2) Vasoconstrictors
3) Reducing agents
4) Preservatives
5) Fungicide
6) Vehicles.

Vasoconstrictors:

Adrenaline is used for vasoconstriction in local anaesthesia.

Uses:

Delays absorption of LA from the site.

Provides blood less field.

Prolongs the actions.

Reduces the systemic toxicity.

Q No 3:

What is the management of root displacement?

Ans: Most commonly displaced tooth root into unfavorable anatomical space is maxillary molar roots.

Displaced into maxillary sinus.

Day: MWTFSS

Date: ___/___/___

Management is

Surgeon should assess

1. Size of root lost into the sinus.
2. ASSESS whether there has been any infection of the tooth or Periapical tissue.
3. ASSESS the Preoperative Condition of the maxillary sinus.