

Mujahid Obem

10 → 14582

BS (SE) (A)

Data Base Final Lab

Subject Data Base

Submitted To: Maam Rimsha

Date → 09/07/2020

(Q1) Write SQL DML queries to create the following table in SQL studio

```
CREATE TABLE Customer-Table
```

```
(
```

```
Customer-id int,
```

```
Customer-name varchar(20),
```

```
address varchar(20),
```

```
order-no int
```

```
);
```

```
DESCRIBE Customer-table;
```

```
INSERT INTO Customer-table values
```

```
(14582, 'Mujahid Khan', 'Pakistan', 22);
```

```
INSERT INTO Customer-table values
```

```
(2, 'ABC', 'Pakistan', 25);
```

```
INSERT INTO Customer-table values
```

```
(3, 'DEF', 'Pakistan', 24);
```

```
INSERT INTO Customer-table values
```

```
(4, 'GHI', null, 54);
```

```
SELECT * FROM Customer-Table;
```


Customer Id	Customer Name	Country	Age
14582	Mujahid Khan	Pakistan	22
2	ABC	Pakistan	25
3	DEF	Pakistan	24
4	GH	Null	24


```
1 CREATE TABLE customer_table
2 (
3     customer_id int,
4     customer_name varchar(20),
5     address varchar(20),
6     order_NO int
7 );
8
9 INSERT INTO customer_table VALUES(14582,'Mujahid', 'Pakistan',30);
10 INSERT INTO customer_table VALUES('2','ABC','Pakistan',20);
11 INSERT INTO customer_table VALUES('3','DEF','Pakistan',23);
12 INSERT INTO customer_table VALUES('4','GEH','NULL',53);
13 SELECT* FROM customer_table;
```

Execute Mode, Version, Inputs & Arguments

SQLite 3.29.0

Interactive

Stdin Inputs

Execute

Result

CPU Time: 0.00 sec(s). Memory: 4112 kilobyte(s)

executed in 0.833 sec(s)

```
1|14582|Mujahid|Pakistan|30
2|2|ABC|Pakistan|20
3|3|DEF|Pakistan|23
4|4|GEH|NULL|53
```