

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x 1462 y 562

Simulation Panel

Event List

Vis	Time(sec)	Last Device	At Device	Type
	0.000	-	PC1	ICMP
	0.000	-	PC1	ARP
	0.001	PC3	Switch1	ICMP
	0.001	PC1	Switch0	ARP
	0.001	-	PC3	ICMP
	0.002	PC3	Switch1	ICMP
	0.002	Switch1	PC2	ICMP
	0.002	Switch1	PC4	ICMP
	0.002	Switch1	Usman	ICMP
	0.002	Switch0	PC0	ARP
	0.002	Switch0	Usman	ARP
	0.003	Switch1	PC2	ICMP
	0.003	Switch1	PC4	ICMP
	0.003	Switch1	Usman	ICMP
	0.003	PC2	Switch1	ICMP
	0.004	PC2	Switch1	ICMP
	0.004	Switch1	PC3	ICMP
	0.005	Switch1	PC3	ICMP

Reset Simulation  Constant Delay Captured 0 005

Play Controls


Event List Filters - Visible Events


ACL Filter: ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DT, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, PTP, RADIUS, REP, RIPv2, RIPv3, RIPv3, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 00:18:46.445 PLAY CONTROLS

Copper Straight-Through





Router0

Physical Config CLI

### IOS Command Line Interface

Press RETURN to get started.

```
User Access Verification
Password:
usman?
usman?
usman?
```

Copy Paste