

NAME:-


TALHA HAMEED

SECTION:-

BS(SE) (A)

ID:-

14526



Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x.mts 1/19

TalhaHameed

Physical Config CLI Attributes

KIOS Command Line Interface

Dear Admin Verification

```
Essavccil:
TalhaHameed@
TalhaHameed@config:
Enter configuration commands, one per line. End with CNTL/Z.
TalhaHameed@config#enable secret 2424
TalhaHameed@config#
TalhaHameed@
KIOS-CONF1-1 Configured from console by admin
exit

TalhaHameed com0 is now available
```

Ctrl+R to exit CLI focus

Copy Paste

Top

PC-PT PC1

PC-PT PC2

PC-PT PC3

PC-PT PC4

Time: 00:07:54

Realtime Simulation

Copy Straight Through

2:53 AM 7/1/2020

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical v. 477, p. 13

```
graph TD; Router[Router PT] --- Switch[Switch PT]; Switch --- PC1[PC PT PC1]; Switch --- PC2[PC PT PC2];
```

Telnet to Router

Physical Config CLI Attributes

IOS Command Line Interface

Enter Access Verification

Username:

```
Telnet>enable
Password:
Telnet>configure terminal
Enter configuration commands, one per line. End with CNTL/Z
Telnet>configure terminal word 0/0/1 address
Telnet>configure terminal
Telnet>
Telnet>
Telnet>
```

Ctrl+Q to exit CLI focus


Copy Paste

Tip

Time: 01:09:24

Realtime Simulation

Copper Straight-Through



Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical

```

    graph TD
      Router[Router PT-1000000000] --- Switch0[Switch PT-1000000000]
      Router --- Switch1[Switch PT-1000000000]
      Switch0 --- PC1[PC PT-1000000000]
      Switch0 --- PC2[PC PT-1000000000]
      Switch0 --- PC3[PC PT-1000000000]
      Switch1 --- PC4[PC PT-1000000000]
      Switch1 --- PC5[PC PT-1000000000]
      Switch1 --- PC6[PC PT-1000000000]
  
```

Simulation Panel

Event List

Time(sec)	Last Device	At Device	Type
0.000	-	PC1	ICMP
0.000	-	PC1	ARP
0.001	PC3	Switch0	ICMP
0.001	PC1	Switch0	ARP
0.001	-	PC3	ICMP
0.002	PC3	Switch1	ICMP
0.002	Switch1	PC2	ICMP
0.002	Switch1	PC4	ICMP
0.002	Switch1	Switch0	ICMP
0.002	Switch0	PC3	ARP
0.002	Switch0	Switch1	ARP
0.002	Switch1	PC2	ICMP
0.002	Switch1	PC4	ICMP
0.002	Switch1	Switch0	ICMP
0.002	PC2	Switch1	ICMP
0.004	PC2	Switch1	ICMP
0.004	Switch1	PC3	ICMP
0.005	Switch1	PC3	ICMP

Reset Simulation Constant Delay Captured to: 0.005 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, Icmp, Icmpv6, LACP, LDP, Meraki, NTP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, PTP, RADIUS, RDP, RIPv2, RIPv2v6, RIPv2v6, SMI, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Serial, UDP, USB, VTY

Time: 00:10:48:48

2:14 AM 7/1/2020