
Name: Sajawal Khan

ID: 14756

Paper: DATABASE SYSTEMS(LAB)

Department: BS(cs) 4th


Q1: Write SQL DML queries to create the following table in SQL Studio.

Answer:

- 1) First of all Create Data Base for Customer

Quires:

```
CREATE DATABASE Customer;
```



- 2) Create Table for Customers

Quires:

```
create table customers  
(Customer_Id INT(20) NOT NULL ,  
Customer_Name varchar(50) NOT NULL,  
Address VARCHAR(50) NOT NULL,
```

Oder_No INT(20) NOT NULL);

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0003 seconds.)

```
SELECT * FROM `customers`
```

Customer_Id	Customer_Name	Address	Oder_No
-------------	---------------	---------	---------

3) Insert Data into the table:

Quires:

```
INSERT INTO `customers`
```

```
(`Customer_Id`, `Customer_Name`, `Address`, `Oder_No`)
```

```
VALUES
```

```
 ('14756', 'Sajawal Khan', 'Peshawar Pakistan', '40');
```

+ Options

Customer_Id	Customer_Name	Address	Oder_No
14756	Sajawal Khan	Peshawar Pakistan	40
14756	Sajawal Khan	Peshawar Pakistan	40
2	ABC	Pakistan	25
3	DFE	Pakistan	25
2	ABC	Pakistan	25
3	DFE	Pakistan	25