Dental section "A" Anatomy,2 nd semester
Total marks 30
Highlight the correct option, save it and submit it with in 48 hrs
Dr. Kousar shah jehan
Your name Anwar ul Haq
ID <mark>16266</mark>
 Most common fracture bone in human body is? A. Scapula B. Clavicle C. Both D. None
2. In surgical end of humerus is the common site of fracture?
A. anatomical neck
b. surgical neck
c. both
d. none
3. Radius is onside
A. lateral side
b. medial side
c. both
d. none
4. Pectoralis major, teres major and latismiss dorsi are attached on?
A. bicipital groove
b. intertubercular groove
c.both
d.none

5. capitulum is a part of ?	
A. humerus	
b.radius	
c.upper limb	
d.both A and c	
6.shaft of humerous consists of surfaces?	
<mark>A.3</mark>	
b.2	
c.5	
d.8	
7. A 60 years old patient came to doctor and told him that he has a fall on outstretch hand and after that he has wrist pain and limited range of flexion, the patient may have?	
A. colley's fracture	
b.galazzi fracture	
c.monteggia fracture	
d.both a and c	
8. A patient came to you and told you that he has a fall on back of hand,he may have the reverse of cooly's fracture which is?	
A. smith's fracture	
b. cooly's fracture	
c. both	
d .none	
9. The medial and lateral collateral ligament is present in?	
A. Elbow joint	
b.shoulder joint	
c .both	

d. none
10. flexion, extension mainly occur at?
A. elbow joint
b. shoulder only
c. head
11. shoulder dislocations are mainly?
A. anterior
b. posterior
c.both
d. none
12. Elbow dislocations are mainly?
A. anterior
B .posterior
c .both
d. none
13. carrying angle is greater in?
A .females
b. males
c. both
d. none
14nerve may get damaged due to elbow joint injury
A. ulnar
B .median
c. radial
d. none

15. Proximal radioulnar joint is a type of?
a. Synovial pivot joint
b. hinge joint
c. both
d. none
16. Pronation and supination occurs at?
A. proximal radioulnar joint
B .distal radioulnar joint
<mark>c .both</mark>
d. none
17. It is also called collar bone?
A. scapula
b. clavicle
c. both
d. none
18. the shoulder girdle consists of ?
A .clavicle
b. scapula
c. both
d. none
19. The weak part of clavicle is?
A. the junction of the middle and outer thirds
B. outer third only
C .both
d. none

20	is triangular shape.
A. scapula	
B .clavicle	
c. both	
d. none	
brain dama	nt came to your clinic and told you that he has an accident last week due to which severe ge occurred, after that he has lost sensation in posterior $1/3^{rd}$ of the tongue, however he can no on anterior $2/3^{rd}$ of tongue. Which of his cranial nerves has been damaged?
	CN 2 CN 3
	CN 5
D.	CN 9
history of fa	ars old young lady came to your clinic and told you that I have balance problem and frequent alls. you take detail history and came to know that the patient don't have any history of on, then what should be the reason of balance and instability?
	Age
B. <mark>C.</mark>	Gender CN 8 disorder
	None
23.corona v	virus is a ,
<mark>a. p</mark>	<mark>randemic</mark>
b. 6	epidemic only
c. e	ndemic
d. ı	none
-	ent came to you and told you that he can't feel bee sting or any other sensation on his wer jaw, what you think which of branches of facial nerve can be affected?
	A. Mandibular and cervical
	b. cervical only
	c. mandibular only
	d. none

25.cerebrum and cerebellum is surrounded by?
A. meninges
B. cortex
c. none
d. both
26. A patient came to your clinic and told you that he has severe flu,dry cough, discomfort in breathing, he may be a suspected case of?
A. corona virus
b. simple flu
c. pneumonea
d. none
27. A doctor is comunicating with a patient, advicing him that there is currently no treatment available for this disease but we can take preventive measures by using masks, stay at home and take steam, what do you think the doctor is discussing which diasease with the patient?
A. covid 19
b. common cold
c.flu
d. none
28.spinal cord is the continuation of?
a.mid brain
<mark>b. brain</mark>
c. cerebrum
d. fore brain
29. the largest nerve is?
A. CN5
B.CN7
C. Both

- D.CN8
- 30 .the longest nerve is?
- A. CN5
- B.CN7
- C.CN 10
- C .Both