






Asad Hussain
BS(SE)
14972
CCNA Lab















Tools Extensions Help



PC0 [x] In: 1338, Out: 412

Question 5. Show banner of "NO ACCESS" before login on the router and show the results.

Router0

Physical Config CLI Attributes


IOS Command Line Interface

Press RETURN to get started!

```
Router>enable
Router>configure terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#banner motd $_
Enter TEXT message. End with the character '#'.
NO ACCESS #
Router(config)#
Router(config)end
Router#
*0718:5:CONFIG_I: Configured from console by console
exit
```

Copy Paste

Top



eb and Windows

Automatically Choose Collection Type

12:59 PM 6/26/2013

Question 5. Show banner of "NO ACCESS" before login on the router and show the results.

Router#

Physical Config Attributes

iOS Command Line Interface

```
NO ACCESS
Router>
Router>
Router>
Router>
Router>
Router>
Router>
Router>
Router>enable
Router>
Router>configure terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#interface GigabitEthernet0/0/0
Router(config-if)#no shutdown
Router(config-if)#
LINEPROTO-0-UPDOWN: Interface GigabitEthernet0/0/0, changed state to up
LINEPROTO-0-UPDOWN: Line protocol on Interface GigabitEthernet0/0/0, changed state to up
Ctrl-P to exit CLI mode
```

Copy Paste

Top

