

NAME  $\Rightarrow$  Muhammad Junaid

ID  $\Rightarrow$  14608

BS(SE)4

CCNS = LAB









Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical

```
ALTERNATE-6-CUSTOM: Line protocol on Interface FastEthernet0/1,
changed state to up
ip address 192.49.0.4 255.255.255.0
HAYEEDARSD(config-if)#Ea
# Assign command: "Ea"
HAYEEDARSD(config)#config s
# Invalid hex value
HAYEEDARSD(config)#line console 0
HAYEEDARSD(config-line)#password
# Incomplete command.
HAYEEDARSD(config-line)#password 14519
HAYEEDARSD(config-line)#login
HAYEEDARSD(config-line)#exit
HAYEEDARSD(config)#vty 0 4
# Invalid input detected at '''. make.
HAYEEDARSD(config)#line vty 0 4
HAYEEDARSD(config-line)#password 14519
HAYEEDARSD(config-line)#login
HAYEEDARSD(config-line)#exit
HAYEEDARSD(config)#exit
HAYEEDARSD#exit
```

Simulation Panel

Event List

Vis	Time(sec)	Last Device	All Device	Type
-----	-----------	-------------	------------	------

Reset Simulation  Constant Delay Captured 0, (no captures)

Play Controls

Event List Filters - Visible Events

ACL Filter ARP BGP DHCP Bluetooth CAPWAP CDP DHCP DHCPv6 DNS DTP EAPOL  
EGRP EIGRPv6 FTP v.33 HSRP HSRPv6 HTTP HTTPS CIM OSPFv6 IPsec  
ISAKMP v1 v2 TCP LACP LLDP Mcast NDP NETFLOW NTP OSPF OSPFv6  
Ntp POP3 RRP RRPv6 PTP RADIUS RFP RP RRPv6 RTR SCCP SFTP SNA  
SSH STR IPv6SLOG TACACS TCP TFTP Telnet UDP USB VTP

Simulation

Copper Straight Through