

Mujahid khan  
ID-14582  
CCN Final lab  
Bs(SE)Sec-A  
Date-1/07/2020

## IOS Command Line Interface

```
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#hostname Mujahidkhan
Mujahidkhan(config)#
Mujahidkhan(config)#end
Mujahidkhan#copy running-config startup-config
Destination filename [startup-config]?
Building configuration...
[OK]
Mujahidkhan#
%SYS-5-CONFIG_I: Configured from console by console



Mujahidkhan#enable
Mujahidkhan#configure
Configuring from terminal, memory, or network [terminal]?
Enter configuration commands, one per line. End with CNTL/Z.
Mujahidkhan(config)#hostname Mujahidkhan
Mujahidkhan(config)#line console 0
Mujahidkhan(config-line)#password 14582
^
% Invalid input detected at '^' marker.

Mujahidkhan(config-line)#password 14582
Mujahidkhan(config-line)#login
Mujahidkhan(config-line)#exit
Mujahidkhan(config)#exit
Mujahidkhan#
%SYS-5-CONFIG_I: Configured from console by console
```

Ctrl+F6 to exit CLI focus

Copy

Paste



## IOS Command Line Interface

```
Configuring from terminal, memory, or network [terminal]?
Enter configuration commands, one per line. End with CNTL/Z.
Mujahidkhan(config)#enable mujahid12 password
^
% Invalid input detected at '^' marker.

Mujahidkhan(config)#enable secret password
Mujahidkhan(config)#eixt
^
% Invalid input detected at '^' marker.

Mujahidkhan(config)#exit
Mujahidkhan#
%SYS-5-CONFIG_I: Configured from console by console

Mujahidkhan#configure
Configuring from terminal, memory, or network [terminal]?
Enter configuration commands, one per line. End with CNTL/Z.
Mujahidkhan(config)#banner motd #NO ACCESS
Enter TEXT message. End with the character '#'.

enable
exit
3
#

Mujahidkhan(config)#banner motd # NO ACCESS#
Mujahidkhan(config)#
```

Ctrl+F6 to exit CLI focus

Copy

Paste

## IOS Command Line Interface

```
Mujahidkhan(config-line)#password 14582
^
% Invalid input detected at '^' marker.

Mujahidkhan(config-line)#password 14582
Mujahidkhan(config-line)#login
Mujahidkhan(config-line)#exit
Mujahidkhan(config)#exit
Mujahidkhan#
%SYS-5-CONFIG_I: Configured from console by console

Mujahidkhan#enable
Mujahidkhan#configure
Configuring from terminal, memory, or network [terminal]?
Enter configuration commands, one per line. End with CNTL/Z.
Mujahidkhan(config)#enable mujahid12 password
^
% Invalid input detected at '^' marker.

Mujahidkhan(config)#enable secret password
Mujahidkhan(config)#exit
^
% Invalid input detected at '^' marker.

Mujahidkhan(config)#exit
Mujahidkhan#
%SYS-5-CONFIG_I: Configured from console by console
```

Ctrl+F6 to exit CLI focus

Copy

Paste